

DUCK BUDDY PATTERN

DESIGNER : KEVSER SÖNMEZ

@kewersonmez



TERMS:

- 1- sc : Single crochet
- 2- inc : increase (make 2 sc into same st)
- 3- W : double increase (make 3 sc into same st)
- 4- dec : decrease (crochet 2 sc together)
- 5- Blo : Backloop (back side of st)
- 6- Flo : Frontloop (ffront side of st)
- 7- slst : Slip stitch
- 8- hdc : Half double crochet
- 9- dc : Double crochet
- 10- * : Repeat the instructions in brackets * times
- 11- ch : Chain
- 12- Sc3tog :crochet 3sc together and decrease 2 at a time



MATERIALS USED:



- 1- Yarnart Cotton Soft Yellow (35), orange (23), Light brown (7) , Dark brown (40)
- 2- 1.30 mm hook
- 3- For propeller, 1 round, 1 long wooden bead
- 4- For eyeglasses and propeller; 0.3 mm wire
- 5- For body; 1.00 mm wire
- 6- Hot silicone
- 7- 0.8 mm safety eyes

FEET :

6 sc into Mr with orange;

- 1- (inc, sc) * 3 = 9sc
- 2- Ch6 and turn (image 1), into ch; 5sc, 5sc (image 2), Ch6 and turn, into ch; 5sc (image 3), 4sc (image 4) = 19sc (get image 5)






- 3- 4sc,into same st; 4sc, 14sc, into same st; 4sc, 9sc = 35sc
- 4- 14sc, sc3tog, 18sc = 33sc
- 5- 6sc, dec, 14sc, dec, 9sc = 31sc
- 6- 5sc, dec, 13sc, dec, 9sc = 29sc
- 7- 5sc, dec, 12sc, dec, 8sc = 27sc
- 8- 5sc, dec, 11sc, dec, 7sc = 25sc
- 9- 4sc, dec, 11sc, dec, 6sc = 23sc
- 10- 4sc, dec, 9sc, dec, 6sc = 21sc
- 11- 3sc, dec, 8sc, dec, 6sc = 19sc
- 12- 3sc, dec, 7sc, dec, 5sc = 17sc
- 13- 2sc, dec, 6sc, dec, 5sc = 15sc
- 14- 2sc, dec, 5sc, dec, 4sc = 13sc

Prepare the wire and place into the feet taking help from pictures. Cut one of the wires a longer than the duck's body because we use it for propeller. The point on image 7 shown with a marker should place under feet. After placing the wire it should look like image 8.







15- sc, sc3tog, 3sc, sc3tog, 3sc = 9sc
16- sc3tog, 2sc, sc3tog, sc = 5sc (image 9)




17- From ankle; 4sc (image 10), W (will be heel) = 5sc
You can find the stages here on images 11-12-13. W should place on heel. You should get images 15 and 16 after this round.









- 18- sc, 3slst (it should place the point shown with arrow on image 17), 3sc = 7sc
- 19- 7sc (For fixing the wires sew the wires on foot as in the image 18)
- 20- 7sc
- 21- 7sc
- 22- 7sc
- 23- 7sc
- 24- 7sc
- 25- 7sc
- 26- 7sc
- 27- 7sc
- 28- 7sc





29- 2sc, inc, W, inc, 2sc = 11sc (knees)

30- 11sc

31- 2sc, dec, sc3tog, dec, 2sc = 7sc

32- 7sc

33- 7sc

34- 7sc

35- 7sc

36- 7sc

37- 7sc

38- 7sc, change with yellow color,

39- inc, 3sc, inc, 2sc (flo) = 9sc

40- (inc, 2sc) * 3 = 12sc

For right leg; 41- 12sc


For left leg; 41- 9sc


Legs finished, cut yarn and start body.

BODY- HEAD :

Ch7 and turn, starting from 2nd ;


- 1- 5sc, W, 4sc, W = 15sc
- 2- 5sc, 3inc, 4sc, 3inc = 21sc
- 3- 5sc, (inc, sc)*3, 4sc, (inc, sc)*3 = 27sc
- 4- 5sc, (inc, 2sc)*3, 4sc, (inc, 2sc)*3 = 33sc
- 5- 5sc, (inc, 3sc)*3, 4sc, (inc, 3sc)*3 = 39sc
- 6- 12sc, From left leg and body together; 3slst (image 19),from body; 16sc, from right leg and body together; 3slst (image 21), from body; 5sc






- 7- 5sc, (6sc, inc) *3, 4sc, (6sc, inc) *3 = 57sc (crochet from the place that shown with arrows on image 21)
- 8- 57sc
- 9- 57sc
- 10- 57sc
- 11- 57sc
- 12- 57sc

Twist the wires of legs and shapen. Leave one of the wire longer than body, so you can use it for propeller (image 22)



13- 16sc, dec, 27sc, dec, 10sc = 55sc
14- 16sc, dec, 26sc, dec, 9sc = 53sc
15- 15sc, dec, 25sc, dec, 9sc = 51sc
16- 3sc, dec, (15sc, dec) * 2, 12sc = 48sc
17- 14sc, dec, 22sc, dec, 8sc = 46sc
18- 8sc, dec, 34sc, dec = 44sc
19- 7sc, dec, 33sc, dec = 42sc
20- 5sc, dec, 35sc = 41sc
21- 7sc, dec, 30sc, dec = 39sc
22- 5sc, dec, 32sc = 38sc
23- 7sc, dec, 27sc, dec = 36sc
24- 4sc, dec, 30sc = 35sc
25- 7sc, dec, 24sc, dec = 33sc
26- 4sc, dec, 27sc = 32sc
27- 7sc, dec, 21sc, dec = 30sc
28- 3sc, dec, 25sc = 29sc
29- 7sc, dec, 18sc, dec = 27sc
30- 2sc, dec, 23sc = 26sc
31- 6sc, dec, 16sc, dec = 24sc
32- 2sc, dec, 20sc = 23sc
33- 5sc, dec, 14sc, dec = 21sc
34- (5sc, dec) * 3 = 18sc
35- 18sc
36- (4sc, dec) * 3 = 15sc
37- 15sc
38- (3sc, dec) * 3 = 12sc
39- 12sc
40- 12sc
41- 12sc
42- 12sc
43- 12inc = 24sc (flo) We started to crocheting head
44- (3sc, inc) * 6 = 30sc
45- 2sc, inc, (4sc, inc) * 5, 2sc = 36sc
46- (5sc, inc) * 6 = 42sc
47- 3sc, inc, (6sc, inc) * 5, 3sc = 48sc
48- (7sc, inc) * 6 = 54sc
49- 4sc, inc (8sc, inc) * 5, 4sc = 60sc
50- 60sc
51- 60sc
52- 60sc
53- 60sc
54- 60sc
55- 60sc
56- 12sc, Ch1 and skip 1, 10sc, ch1 and skip 1, 36sc (We did holes for safety eyes as in the image23. We will insert the eyes here.)



57- 60sc

58- 60sc (Insert the eyes as in the image 24 and seal their back as in the image 25)

59- 60sc

60- 60sc

61- 60sc

62- 60sc

63- 60sc

64- 60sc

65- 60sc

66- 60sc

67- 60sc



68- 4sc, dec, (8sc, dec) *5, 4sc = 54sc

69- (7sc, dec) *6 = 48sc

70- 3sc, (6sc, dec) *5, 3sc = 42sc

71- (5sc, dec) *6 = 36sc

72- 2sc, (4sc, dec) *5, 2sc = 30sc

73- (3sc, dec) *6 = 24sc

74- sc, (2sc, dec) *5, sc = 18sc

75- (sc, dec) *6 = 12sc

76- 6dec = 6sc (Leave the longer part of wire out for using the propeller as in the image26)



HAT :

Cut 1,5m yarn for earwarmers and leave for now.

6sc into mr with light brown ;


- 1- 6inc = 12sc
- 2- (sc, inc) * 6 = 18sc
- 3- sc, (2sc, inc) * 5, sc = 24sc
- 4- (3sc, inc) * 6 = 30sc
- 5- 2sc, inc, (4sc, inc) * 5, 2sc = 36sc
- 6- (5sc, inc) * 6 = 42sc
- 7- 3sc, inc, (6sc, inc) * 5, 3sc = 48sc
- 8- (7sc, inc) * 6 = 54sc
- 9- 4sc, inc (8sc, inc) * 5, 4sc = 60sc
- 10- (9sc, inc) * 6 = 66sc
- 11- 66sc
- 12- 66sc
- 13- 66sc
- 14- 66sc
- 15- 66sc
- 16- 66sc
- 17- 66sc
- 18- 66sc
- 19- 66sc
- 20- 66sc
- 21- 66sc
- 22- 66sc
- 23- 66sc leave the st here(the point shown with arrow on image1), We will crochet earwarmers.



Because I want to use right side of the crocheting, I get the yarn into st as in the image3 and take to the beginning of round again, I start from the beginning in every round. You should be careful while taking the yarn into beginning because your crocheting shouldnt be tight. The yarn that you took into the st, should place into. (image 6). If you dont want to use right side of your crocheting, you can start every round with ch 1, turn your crocheting and you can crochet 1 round right side and 1 round wrong side.



Right Earwarmer :


Use 1,5m yarn that we left before.


- 1- Skip 11 sts, 9sc from 12th st (images 1-2) Fix the yarn taking into the st (image 3) and take the fixed yarn to the beginning of round again.
- 2- Leave the yarn between as in the image 6; 9sc and fix the yarn again and take to the beginning (image 7)
- 3- 9sc (image 8) fix the yarn again and take to the beginning
- 4- 9sc(image 9) fix the yarn again and take to the beginning
- 5- 9sc fix the yarn again and take to the beginning
- 6- sc, dec, 3sc, dec, sc = 7sc fix the yarn again and take to the beginning
- 7- sc, dec, sc, dec, sc = 5sc cut the yarn and finish (image 10)












Left Ear warmer:


Use the second 1,5m yarn that we left before.



As in the right one, we will fix the yarn at the end of the rounds and take the yarn to the beginning, leave the taken yarn into the sts.

- 1- From front side of hat; (Back side of marked place), from the right earwarmer skip 26 sts and start from 27th st; take 9sc (image 11)
- 2- 9sc, fix the yarn again and take to the beginning (image 12)
- 3- 9sc, fix the yarn again and take to the beginning
- 4- 9sc, fix the yarn again and take to the beginning
- 5- 9sc, fix the yarn again and take to the beginning.
- 6- sc, dec, 3sc, dec, sc = 7sc fix the yarn again and take to the beginning
- 7- sc, dec, sc, dec, sc = 5sc cut the yarn and finish.

After crocheted the headphones, we will sc all around for 3 rounds (2 rounds with light brown and 1 round with dark brown)(image13) We must w increases on the corners of earwarmers. (images 14-15) For the numbers of sc sts that place sides of the earwarmers look at the image 15.










PROPELLER :



Ch15 and turn , take wire in and as in the image1, starting from 2nd;


1- 7sc, 5 hdc, 1 dc, into same st; 8 dc, 1 dc, 5 hdc, 7sc = 34


Make 3, Dont cut the yarn after 3rd one; Taking help from images 2-3-4, with 4 sts per, join together leaving the wire between, Join two tips of propeller with slst with the help of images 5-6.

Slst all around the propeller as in the image7 (blo) and get image8. We will fix the propeller on head with using wooden beads.















For fixing the propeller on head; Twist the wire on head through the back as in the image 10 and get the wire into the mr of hat, fix the hat on head. (images 11-12) Place the long wooden bead, propeller and round bead on wire orderly (images 13-14) Cut the wire, put hot silicone into the hoke of bead, fix the bead and wire (image 15).








BEAK :

6sc into Mr with orange ;

- 1- W, 2sc, W, 2sc = 10sc
- 2- 10sc
- 3- sc, W, 4sc, W, 3sc = 14sc
- 4- 2sc, W, 6sc, W, 4sc = 18sc
- 5- 3sc, W, 8sc, W, 5sc = 22sc
- 6- 4sc, W, 10sc, W, 6sc = 26sc
- 7- 5sc, W, 12sc, W, 7sc = 30sc
- 8- 30sc finish and cut the yarn (image 16)



Sew beak on the pinned points of head as in the image 17.





EYEGASSES :

- 1- Ch52 with dark brown and turn (cut 104 chains long wire) Skip 24 sts, start from the 25th st. (image 1)




- 2- Fold the wire into two and take the back part of crocheting (We will leave the wire between for all around the eyeglasses) , 4sc (image 2-3)








3- Slst into the first ch and crochet while the wire in between (image 4)



4- From right eye; 24sc, from middle; 4sc, from left eye; 24sc = 56sc (images 5-6-7)





- 5- Slst all around the eyeglasses (blo) and for placing on head; starting from the point shown on image8 with arrow; ch47, join the eyeglasses from the 2nd point shown on image, put the eyeglasses on head.(image8)




WINGS :



Ch22, starting from the 2nd ;

- 1- slst, 20sc, ch1 and turn
- 2- 16sc (blo), ch3 and turn
- 3- slst, 17sc (blo), ch1 and turn
- 4- 13sc (blo), ch3 and turn
- 5- slst, 14sc (blo), ch1 and turn
- 6- 10sc (blo), ch3 and turn
- 7- slst, 11sc (blo)

For left wing, taking help from image1; 3sc

For right wing, turn your crocheting; 3sc (images 2-3-4)








TAIL:


Ch29 and turn, starting from 2nd ;

- 8- slst, 27sc, ch1 and turn
- 9- 24sc (blo), ch3 and turn
- 10- slst, 25sc (blo), ch1 and turn
- 11- 22sc (blo), ch3 and turn
- 12- slst, 23sc (blo), ch1 and turn
- 13- 20sc (blo), ch3 and turn
- 14- slst, 21sc (blo)
- 15- 18sc (blo), ch1 and turn
- 16- slst, 19sc (blo)

For left tail, taking help from image1; 4sc

For right tail, turn your crocheting and take the st to beginning; 4sc (image 2)





Sew the tail on the back of duck taking help from the image 4.

