

POLICEMAN BEAR

Crochet pattern by CraftbyAnh



Anh Nguyen
Craft by Anh
www.craftbyanh.etsy.com

Copyright 2024 - Anh Nguyen (CraftbyAnh) - All right reserved.
Do not copy, edit, distribute (online or printed), resold of all pattern or parts.



DIFFICULTY

3. Intermediate

Includes more complicated
crochet stitches and techniques,
color changes, embroider nose,
eyes and small details.

SKILL REQUIRED

Making magic ring, crocheting in spiral, crocheting in rounds, chain, double, half double, increasing, and decreasing.

CONTACT INFO

anhds8x@gmail.com

facebook: @craftbyAnh

instagram: @anh_nguyends

FINISHED SIZE

The bear is about 22cm (8.66 inches) tall.

The size of the finished toy varies with the yarn and tension.

MATERIALS REQUIRED

- Yarn: Sport or DK light weight yarn.

(I used: Yarn Art Jeans 60gr/160m)

- Color numbers: 07 (beige), 53 (black), 88

(pastel yellow), 80 (light grey), 47 (navy blue).

- Crochet hook: 2.50mm

- Fill: Polyfill or Fiberfill.

- Sewing needle, scissors, stitch marker.

- 8mm safety eyes.

- Aluminum wire.

COPYRIGHT 2024 - ANH NGUYEN (CRAFTBYANH) - ALL RIGHT RESERVED.

Contents of this pattern MAY NOT be shared, published or resold in anyway. You may sell finished products made with this pattern, provided you credit me (Anh Nguyen or CraftbyAnh) as the designer. 2

ABBREVIATIONS

- Ch** - Chain
- MR** - Magic Ring
- Sc** - Single crochet stitch
- Dc** - Double crochet stitch
- Hdc** - Half double crochet stitch
- Dec** - Decrease single crochet stitch
- Dc-inc** - Increase double crochet stitch
- Hdc-inc** - Increase half double crochet stitch
- Hdc-dec** - Decrease half double crochet stitch
- Slst** - Slip Stitch
- Rnd** - Round
- St, Sts** - Stitch, Stitches
- Inc** - Increase single crochet stitch
- BLO** - Crochet through back loop only
- FLO** - Crochet through front loop only.

NOTES

- Each round is worked in a continuous spiral.

Do not join rounds with slip stitch or turn

unless stated otherwise.

- Use a stitch marker or a piece of yarn to

mark the ending of the round.

- All stitches are worked through both loops

unless stated otherwise.

HEAD

With beige yarn:

Rnd 1: Make a MR with 8 sc (8)

Rnd 2: 8 inc (16)

Rnd 3: (sc, inc) x 8 (24)

Rnd 4: (2 sc, inc) x 8 (32)

Rnd 5: (3 sc, inc) x 8 (40)

Rnd 6: (4 sc, inc) x 8 (48)

Rnd 7: (5 sc, inc) x 8 (56)

Rnd 8: (6 sc, inc) x 8 (64)

Rnd 9 - Rnd 19: 64 sc (64)

Rnd 20: (2 sc, dec) x 16 (48)

Rnd 21: (sc, inc) x 24 (72)

Rnd 22 - Rnd 26: 72 sc (72)

Rnd 27: (sc, dec) x 24 (48)

Rnd 28: (4 sc, dec) x 8 (40)

Rnd 29: 40 sc (40)

Rnd 30: (3 sc, dec) x 8 (32)

Rnd 31: (2 sc, dec) x 8 (24)

Attach 8mm safety eyes between rounds 20 and 21, with 8 sts apart.

Stuff the head firmly with fiber fill.

Fasten off. Weave in ends.



EAR (Make 2)

With beige yarn:

Rnd 1: Make MR with 6 sc (6)

Rnd 2: 6 inc (12)

Rnd 3: (sc, inc) x 6 (18)

Rnd 4 - Rnd 6: 18 sc (18)

Rnd 7: (sc, dec) x 6 (12)

Do not stuff. Flatten the ear. Fasten off. Leave a tail for sewing.



SNOUT

With beige yarn:

Make a chain of 6 sts. Start in the second chain from the hook.

Rnd 1: 4 sc, 3 sc into the next chain, 3 sc, inc into the last chain (12)

Rnd 2: inc, 3 sc, 3 inc, 3 sc, 2 inc (18)

Rnd 3: inc, 4 sc, (inc, sc) x 3, 3 sc, (inc, sc) x 2 (24)

Rnd 4 - Rnd 6: 24 sc (24)

Fasten off. Leave a long tail for sewing.



****Place and sew snout onto the head between rounds 20 and 26, centered below eyes.*

****Sew triangle nose using black thread as shown below.*

****Place and sew ears between rounds 11 and 16 onto the head.*



LEGS (Make 2)

FIRST LEG:

Start in black yarn:

Rnd 1: Make MR with 6 sc (6)

Rnd 2: 6 inc (12)

Rnd 3: (sc, inc) x 6 (18)

Rnd 4: (2 sc, inc) x 6 (24)

Rnd 5 - Rnd 6: 24 sc (24)

Rnd 7: (2 sc, dec) x 6 (18)

Change to beige yarn:

Rnd 8: (sc, dec) x 6 (12)

Rnd 9: 12 sc (12)

Rnd 10: (sc, inc) x 6 (18)

Rnd 11 - Rnd 13: 18 sc (18)

Rnd 14: (2 sc, inc) x 6 (24)

Rnd 15 - Rnd 16: 24 sc (24)

Rnd 17: 24 sc, slst (24)

Stuff the leg firmly. Fasten off.



SECOND LEG:

Rnd 1 - Rnd 17: repeat the instruction for the first leg. But DO NOT do slst at the end of row 17. Leave the remaining stitches unworked. Stuff the leg firmly. Do not fasten off. Continue working the body.

BODY

Rnd 18: From the second leg, ch2, sc in the slst of first leg, 23 sc around first leg, 2 sc in the chain, 24 sc around second leg, 2 sc in the chain (52) Count the new round from here.

Rnd 19: 2 hdc, 20 sc, 7 hdc, 18 sc, 5 hdc (52)

Rnd 20 - Rnd 25: 52 sc (52)

Change to black yarn:

Rnd 26: 52 sc (52)

Rnd 27: (11 sc, dec) x 4 (48)

Rnd 28 - Rnd 29: 48 sc (48)

Rnd 30: (10 sc, dec) x 4 (44)

Rnd 31 - Rnd 33: 44 sc (44)

Rnd 34: (9 sc, dec) x 4 (40)

Rnd 35 - Rnd 38: 40 sc (40)

Rnd 39: (8 sc, dec) x 4 (36)

Rnd 40 - Rnd 42: 36 sc (36)

Rnd 43: (sc, dec) x 12 (24)

Stuff the body firmly. Fasten off. Leave a tail for sewing.



ARMS (Make 2)

With beige yarn:

Rnd 1: Make MR with 7 sc (7)

Rnd 2: 7 inc (14)

Rnd 3 - Rnd 5: 14 sc (14)

Change to black yarn:

Rnd 6 - Rnd 22: 14 sc (14)

Stuff the arm lightly. Fold the arm in half and do 6 sc through both sides of arm together.

Fasten off. Leave a tail for sewing.



POLICE HAT:

With black yarn:

Rnd 1: Make MR with Ch2, 7 hdc, join with slst. (8)

Rnd 2: Ch2, hdc into the same st, hdc-inc x 7, slst (16)

Rnd 3: Ch2, hdc-inc, (hdc, hdc-inc) x 7, slst (24)

Rnd 4: Ch2, hdc, hdc-inc, (2 hdc, hdc-inc) x 7, slst (32)

Rnd 5: Ch2, 2 hdc, hdc-inc, (3 hdc, hdc-inc) x 7, slst (40)

Rnd 6: Ch2, 3 hdc, hdc-inc, (4 hdc, hdc-inc) x 7, slst (48)

Rnd 7: Ch2, 4 hdc, hdc-inc, (5 hdc, hdc-inc) x 7, slst (56)

Rnd 8: Ch2, 5 hdc, hdc-inc, (6 hdc, hdc-inc) x 7, slst (64)

Rnd 9: Ch2, 6 hdc, hdc-inc, (7 hdc, hdc-inc) x 7, slst (72)

Rnd 10: Ch2, 7 hdc, hdc-inc, (8 hdc, hdc-inc) x 7, slst (80)

Rnd 11: Ch2, hdc x 79, slst (80)

Rnd 12: Ch2, 7 hdc, hdc-dec, (8 hdc, hdc-dec) x 7, slst (72)

Rnd 13: Ch1, 7 sc, dec, (7 sc, dec) x 7, slst (64)

Rnd 14: (FLO) Ch1, sc x 64, slst (64)

Rnd 15 - Rnd 18: Ch1, sc x 64, slst (64)

Fasten off. Leave a long tail for sewing.

****BRIM:**

Insert a new black yarn in the 26th stitch from the last stitch of R18 as shown below.



Rnd 1: Ch2, 17 hdc (18)

Rnd 2: Ch2, turn, 17 hdc (18)

Rnd 3: Ch1, turn, dec, 14 sc, dec (16)

Rnd 4: Ch1, turn, dec, 12 sc, dec (14)

Rnd 5: Ch1, turn, dec, 10 sc, dec (12)

Turn left slightly, do slst around the edge. Fasten off. Weave in ends.



****HAT BADGE:**

With pastel yellow yarn:

Rnd 1: Make MR with 5 sc, join with slst (5)

Rnd 2: Ch1, 5 inc, slst (10)

Rnd 3: *Ch3, sc, hdc, skip next st, slst in next st*, repeat *..* 4 more times.

Fasten off. Leave a tail for sewing.

****Sew badge onto front of police hat.**



POLICE UNIFORM:

**PANTS:

- First pant leg:

With black yarn:

Make a chain of 28 sts, join with slst to close the circle. Make sure the chain will not be twisted.

Rnd 1: Ch1, 28 sc, slst (28)

Rnd 2 - Rnd 8: Ch1, 28 sc, slst (28)

Fasten off.



- Second pant leg:

Rnd 1 - Rnd 8: Repeat the instruction of the first leg. But DO NOT do slst at the end of R8, and do not cut the yarn as we will join 2 pant legs into 1 piece.

Rnd 9: From the second pant leg, Ch3, join the first one with 1 sc in the slst, 27 sc on the first pant leg, 3 sc in the chain, 28 sc on the second pant leg, 3 sc in the chain, slst (62)

Rnd 10: Ch2, 2 hdc, 24 sc, 7 hdc, 24 sc, 4 hdc, slst (62)

Rnd 11 - Rnd 17: Ch1, 62 sc, slst (62)

Rnd 18: Ch1, 7 sc, dec, 9 sc, dec, 5 sc, dec, 7 sc, dec, 5 sc, dec, 6 sc, dec, 5 sc, dec, 4 sc, slst (55)

Rnd 19: Ch1, 6 sc, dec, 8 sc, dec, 4 sc, dec, 6 sc, dec, 4 sc, dec, 5 sc, dec, 4 sc, dec, 4 sc, slst (48)

Fasten off. Leave a tail for sewing.



***Sew head to body.

***Sew arms onto body.

***Sew police hat onto head.

***Sew pants onto body.



****POLICE SHIRT:**

With black yarn:

Make a chain of 38 sts.

Rnd 1: 1 sc into the second chain from the hook, 4 sc, [sc,ch,sc] into the next chain, 7 sc, [sc,ch,sc] into the next chain, 9 sc, [sc,ch,sc] into the next chain, 7 sc, [sc,ch,sc] into the next chain, 5 sc.

Rnd 2: Ch1, turn, 6 sc, [sc,ch,sc] into the next st, 9 sc, [sc,ch,sc] into the next st, 11 sc, [sc,ch,sc] into the next st, 9 sc, [sc,ch,sc] into the next st, 6 sc.

Rnd 3: Ch1, turn, 7 sc, [sc,ch,sc] into the next st, 11 sc, [sc,ch,sc] into the next st, 13 sc, [sc,ch,sc] into the next st, 11 sc, [sc,ch,sc] into the next st, 7 sc.

Rnd 4: Ch1, turn, sc in each st and in the chain space (61)

Rnd 5: Making armholes: Ch1, turn, 9 sc, ch9, skip 12 sts, 1 sc in the next st, 17 sc, ch9, skip 12 sts, 1 sc in the next st, 9 sc.

Rnd 6: Ch1, turn, 10 sc, 9 sc into the half upper loop of chain (the bottom loop is for making sleeves later), 18 sc, 9 sc into the half upper loop of chain, 9 sc (55)

Rnd 7 - Rnd 8: Ch1, turn, sc in each st (55)

Rnd 9: Ch1, turn, 5 sc, inc, 5 sc, (10 sc, inc) x 3, 5 sc, inc, 5 sc (60)

Rnd 10 - Rnd 13: Ch1, turn, sc in each st (60)

Rnd 14: Ch1, turn, 6 sc, inc, 5 sc, (11 sc, inc) x 3, 6 sc, inc, 5 sc (65)

Rnd 15 - Rnd 16: Ch1, turn, sc in each st (65)

Rnd 17: From the last stitch of R16, turn left slightly, ch1, 16 sc, inc in the next corner, 35 sc, inc in the next corner, 15 sc, inc in the next corner.

Rnd 18: Ch1, turn, 17 sc, inc in the next corner, 35 sc, inc in the next corner, 18 sc, join with slst.

(We don't work on bottom part of shirt).

Fasten off. Leave a tail for sewing.



****SLEEVES:**

Attach black yarn in st as shown below.

Rnd 1: Ch1, sc in each st around the arm hole, join with slst (24)

Rnd 2 - Rnd 12: Ch1, sc in each st, slst (24)

Fasten off. Weave in ends.



*****Put shirt onto body.**



****POCKETS: Make 2**

With black yarn:

Rnd 1: Make MR with 3 sc, pull the yarn tail tightly to close MR but do not join.

Rnd 2: Ch1, turn, inc, sc, inc.

Rnd 3 - Rnd 5: Ch1, turn, 5 sc.

From the last stitch of R5, turn left slightly, ch1, 5 sc, inc into the hole space, 5 sc. Fasten off. Leave a tail for sewing.

****Sew pockets onto shirt:*



****BADGE:**

Start in navy blue yarn:

Rnd 1: Make MR with 6 sc (6)

Change to pastel yellow yarn:

Rnd 2: 6 inc, slst (12)

Rnd 3: Ch2, hdc into the same st, slst x 2, hdc-inc, slst x 7

Fasten off. Leave a tail for sewing

****NAME BAR:**

With pastel yellow yarn:

Rnd 1: Make a chain of 7 sts, 6 sc. Fasten off. Leave a tail for sewing

****Sew badge and name bar above pockets onto the shirt.*



*****Sew both front edges of shirt together as shown:**



****HANDCUFFS:**

Prepare 2 aluminum wire ring with 0.5 inch diameter as shown:



Work on the first ring with light grey yarn, do sc along the edge of the ring. Ch8, join the second ring and do sc along the edge of it.

Fasten off. Leave a tail for sewing.

*****Sew handcuffs on pants as shown:**



Thank you for purchasing this pattern

I would love to see your finished bear, so please share a picture with me, tag me @anh_nguyends and use hashtag #craftbyanh on Instagram.

With love,

Anh Nguyen,



Anh Nguyen
Craft by Anh
www.craftbyanh.etsy.com

CRAFTBYANH

Email: anhds8x@gmail.com
www.craftbyanh.etsy.com
www.facebook.com/craftbyanh
www.instagram.com/anh_nguyends